JOURNAL OF

Environmental Health

fifteen dollars

Volume 85, No. 9 May 2023

.neha.org

in the next Journal of Environmental Health

Joe Beck Educational Contribution Award

Recognize your colleague!

Do you work with someone who is always coming up with creative ways to educate the public or colleagues? Is there someone on your team who has created tools or a practice that has really made a difference in improving environmental health?

Nominate them for the Joe Beck Educational Contribution Award and show them how much you value their contribution.

Nomination Deadline: May 15, 2023

neha.org/awards

Nation

A

D. Gary Brown,
DrPH, CIH, RS, DAAS

•••• •

•••• -

€

,

Case 3: Lead Isotope Ratios With Standard Error and Concentration for Whole Blood and Environmental Sources Sampled for Lead Isotope Analysis

Sample #	Sample	Sample Type	$^{206}Pb/^{204}Pb$	2 1/ n	$^{207}Pb/^{204}Pb$	2 1/ n	$^{207}Pb/^{206}Pb$	2 1/ n	$^{208}Pb/^{206}Pb$	2 1/ n	Lead (Pb) Concentration
1	5-min ush	Tap water	19.9770	0.0003	15.7713	0.0003	0.78947	0.00001	1.96219	0.00002	1.090 µg/L
2	Kitchen rst draw	Tap water	19.7307	0.0004	15.7469	0.0004	0.79810	0.00001	1.98160	0.00003	9.008 µg/
3	Child's bedroom oor carpet	Wipe	19.2338	0.0005	15.6970	0.0004	0.81612	0.00001	2.00743	0.00003 [2]	60 µg/ft
4	Living room windowsill	Wipe	19.2135	0.0007	15.6936	0.0006	0.81680	0.00001	2.00960	0.00003 [2]	443 µg/ft
5	Kitchen oor	Wipe	19.2393	0.0005	15.6952	0.0005	0.81578	0.00001	2.01453	0.00002 [2]	37 µg/ft
6	Front porch entry oor	Wipe	18.9651	0.0006	15.6662	0.0006	0.82606	0.00001	2.03770	0.00003 [2]	313 µg/ft
7	Living room oor	Wipe	19.0367	0.0007	15.6786	0.0006	0.82361	0.00001	2.02807	0.00003 [2]	250 µg/ft
8	Backyard	Soil	19.3163	0.0004	15.7040	0.0004	0.81300	0.00001	2.01272	0.00003	3,261 µg/g
9	Service lateral	Pipe	20.6057	0.0005	15.8491	0.0004	0.76915	0.00001	1.91982	0.00003	19,483 µg/
10	Back stairwell windowsill	Paint	18.9586	0.0005	15.6716	0.0005	0.82662	0.00001	2.02849	0.00003	3,116 µg/g
11	Kitchen window trough	Paint	19.4228	0.0004	15.7114	0.0004	0.80892	0.00001	2.00226	0.00003	63,318 µg/g
12	Living room										

Case 4: Lead Isotope Ratios With Standard Error and Concentration for Whole Blood and Environmental Sources Sampled for Lead Isotope Analysis

Sample #	Sample	Sample Type	$^{206}Pb/^{204}Pb$	2 1/ n	$^{207}Pb/^{204}Pb$	2 1/ n	$^{207}Pb/^{206}Pb$	2 1/ n	$^{208}Pb/^{206}Pb$	2 1/ n	Lead (Pb) Concentration
1	Kitchen rst draw	Tap water	18.3581	0.0006	15.6356	0.0005	0.85170	0.00001	2.07985	0.00003	3.388 µg/L
2	5-min ush (kitchen)	Tap water	18.4378	0.0009	15.6373	0.0008	0.84810	0.00001	2.07245	0.00003	0.105 µg/L
3	Living room rug	Wipe	17.8841	0.0006	15.6131	0.0006	0.87301	0.00001	2.11131	0.00003 [2]	0.1 µg/ft
4	Bedroom carpet	Wipe	17.7869	0.0004	15.6057	0.0005	0.87737	0.00001	2.11856	0.00003 [2]	0.2 µg/ft
5	Large pressure cooker	Wipe	17.3334	0.0005	15.5811	0.0005	0.89890	0.00001	2.14941	0.00003 [2]	43.7 µg/ft
6	Small pressure cooker	Wipe	18.2844	0.0025	15.6383	0.0022	0.85528	0.00003	2.08393	0.00008 [2]	0 µg/ft
7	Bathtub	Wipe	17.9773	0.0003	15.5985	0.0003	0.86768	0.00001	2.10208	0.00003 [2]	1.6 µg/ft
8	Bedroom										

Case 5: Lead Isotope Ratios With Standard Error and Concentration for Whole Blood and Environmental Sources Sampled for Lead Isotope Analysiscm 0 0 m 46.865 0 l S Q q 1 0 0 1 287.1069 439.135.5656 cm 0 0 m 0 23.319 l S Q q 1 0

` GUEST COMMENTARY

` SPECIAL REPORT

Roger W. Amery, CP-FS

€ ‹• ••Œ • „
€
€

€

• € - ^
Ž
Ž

‡ - ‰ ‹‘ € ’••“Œ
€
, ••
”

€
, • ”
• ‹,• •Œ •• ƒ „
‹••ƒ Œ
• ••
€ - ”
• •” , ,
ƒ
• —” ^ ^ „

• •—” ~
‹, (<E4 (35)-347 (

€
€ €
-
• •• •• -
•• - † ‡^ - ‰ „
€ , ”
ƒ ,
•• • • - Š • -
€ - ”
”
•• € • • „ - €
… - €

` SPECIAL REPORT

(9 : 8 ') :







` DIRECT FROM AAS



Nation l E vi

Stand out in the crowd.
Show the world you are the environmental health expert you know you are with a credential. You might even earn more or get promoted.

neha.org/credentials

` DIRECT FROM U.S. EPA OFFICE OF RESEARCH AND DEVELOPMENT

•

„…
†‡
-ˆ €ƒ
‰ ‡,
• €,€€
ˆ •
• Š• ‹ Œ
Ž • ‹
‰ • •
-7.7*7y10.233
•
- • ••
€,€€ ƒ
• ••
• •

Walter S. Mangold Award

Walter S. Mangold dedicated his life to the practice of environmental health in an extraordinary and exemplary way. In doing so, he became a beacon of excellence and inspiration for all environmental health professionals who followed after him.

'u•Öu·•BñÏ •ñ• u_ _ ñ:· •ÐBu• tion of doing extraordinary environmental health work? Consider taking the time to nominate them for the Walter S. Mangold Award, our most prestigious award.

Nomination Deadline: May 15, 2023

neha.org/mangold-award

Nation l E viro me
H h As oc

•

•†

•

‡

ˆ ‰

• … Šˆ …

034

• -3f7 0 (0 2 02 033034)]TJ T 31334 313 9021 022-7 (4)-6 (4)-130 (7c05.8 T40)3732[(TJ T0

•

• -373 301 t3 3375 02† 7 (033 655 42503 6-4237)36

• 961 •961

•@.80(810321 -49.9 t3 ([(19.9 t3 (5 8J f80\0057 2250( )25 (TJ 1234)-6 2740TJ T230340)35533)

•

•

•

-

•

€

’

•

•

f ”

…



Join our environmental health community.
It is the only community of people who truly
understand what it means to

ENVIRONMENTAL HEALTH CALENDAR

UPCOMING NATIONAL ENVIRONMENTAL HEALTH ASSOCIATION (NEHA) CONFERENCE

JEH QUIZ

FEATURED ARTICLE QUIZ #6

Lead Source Attribution by Stable Isotope Analysis in Child Risk Assessment Investigations

Available to those with an active National Environmental Health Association (NEHA) membership, the JEH Quiz is offered six times per calendar year and is an easily accessible way to earn continuing education (CE) contact hours toward maintaining a NEHA credential. Each quiz is worth 1.0 CE.

Completing quizzes is now based on the honor system and should be self-reported by the credential holder. Quizzes published only during your current credential cycle are eligible for CE credit. Please keep a copy of each completed quiz for your records. CE credit will post to your account within 3 business days.

Paper or electronic quiz submissions will no longer be collected by NEHA staff.

INSTRUCTIONS TO SELF-REPORT A JEH QUIZ FOR CE CREDIT

1. Read the featured article and select the correct answer to each JEH Quiz question.
2. Log in to your MyNEHA account at https://neha.users.membersuite.com/home.
3. Click on Credentials located at the top of the page.
4. Select Report CEs from the drop-down menu.
5. Enter the date you finished the quiz in the Date Attended field.
6. Enter 1.0 in the Length of Course in Hours field.
7. In the Description field, enter the activity as "JEH Quiz #, Month Year" (e.g., JEH Quiz 6, May 2023).
8. Click the Create button.

JEH Quiz #4 Answers
January/February 2023

Î Quiz effective date: May 1, 2023 | Quiz deadline: August 1, 2023

1. The primary intervention for a child with a case of lead poisoning is to remove the sources of lead from the child's environment.
   a. True.
   b. False.

2. Lead isotope analysis (LIA) is based on the __ stable, naturally occurring isotopes of lead that all have relative abundances in the Earth's crust.
   a. two
   b. three
   c. four
   d. five

3. To be eligible for the case series in this study, a child with a case of lead poisoning must have met the following criteria:
   a. peak venous blood lead level (BLL) 10 µg/dl.
   b. age 6 years.
   c. resided in southern Wisconsin.
   d. all of the above.
   e. none of the above.

4. Lead in surface coatings was identified in this study using an X-ray fluorescence instrument and a lead dust hazard for floors was defined as
   a. 0.7 mg/cm ^{2}.
   b. 40 µg/ft ^{2}.
   c. 200 µg/ft^2.
   d. 1,200 ppm.

5. Case 1 involved a female at 24 months with a BLL of
   a. 10 µg/dl.
   b. 12 µg/dl.
   c. 14 µg/dl.
   d. 16 µg/dl.

6. For case 1, 1.5 years after the initial BLL and after the family's home was remediated, the child's venous BLL decreased to
   a. 4 µg/dl.
   b. 5 µg/dl.
   c. 6 µg/dl.
   d. 7 µg/dl.

7. In case 2, lead isotope ratios in blood were similar to the street lateral water pipe but dissimilar to
   a. tap water.
   b. the floor lateral pipe.
   c. all of the above.
   d. none of the above.

8. In case 3, the highest lead concentrations were
   a. the interior windowsills.
   b. the porch entry floor.
   c. the backyard play area.
   d. all of the above.
   e. none of the above.

9. In case 4, the risk assessment found lead hazards in the walls, floors, and points of entry of the home.
   a. True.
   b. False.

10. In case 6, the child's BLL at 22 months after the initial BLL decreased to
    a. 5 µg/dl.
    b. 6 µg/dl.
    c. 7 µg/dl.
    d. 8 µg/dl.

11. In this study, cases 4–6 demonstrated that LIA was able to identify the most common household exposure: legacy lead-based paint exposure via hand-to-mouth behavior.
    a. True.
    b. False.

12. Water was __ as the dominant or likely source of lead in the cases investigated in this study.
    a. not observed
    b. weakly observed
    c. strongly observed

Nati





NEHA NEWS

047

NEHA MEMBER SPOTLIGHT

HS GOV



Get in Touch

‰